# TURCO ITALIANA SPA 1REMOKAL - REMOKAL

Revision nr.4 Dated 09/05/2024 Printed on 09/05/2024 Page n. 1 / 11

Page n. 1 / 11
Replaced revision:3 (Dated 21/09/2022)

# **Safety Data Sheet**

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

# SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 1REMOKAL
Product name REMO KAL

UFI: 0N70-Y0XQ-500V-HDUQ

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use INHIBITED DESCALER, DEOXIDIZER

 Identified Uses
 Industrial
 Professional
 Consumer

 DESCALER
 PROC: 7.
 PC: 35.

 PC: 35.
 LCS: PW.

LCS: IS.

**Uses Advised Against** 

CONSUMER USE

1.3. Details of the supplier of the safety data sheet

Name TURCO ITALIANA SPA
Full address Via Artigianale, 29
District and Country 25010 Montirone

District and Country 25010 Montirone (BS)

Italia

Tel. +39 030 267443 Fax +39 030 2677137

e-mail address of the competent person

responsible for the Safety Data Sheet

info@turco.it

1.4. Emergency telephone number

For urgent inquiries refer to **UK:** 

NHS111 in England: 111 NHS24 in Scotland: 111 NHS Direct in Wales: 111 or 0845

4647

In an emergency, if the patient has collapsed or is not breathing properly, call 999

IRELAND:

**National Poisons Information Centre** 

Beaumont Hospital, Beaumont, Dublin 9., Ireland

Contact center +353 (1) 809 2166

For emerceny: +353 (1) 809 2566

ISLAND: 24 hours a day. Phone: +543 2222 or 112

A list of Poison Control Centers is available at the following link: http://www.who.int/gho/phe/chemical\_safety/poisons\_centres/en/

# **SECTION 2. Hazards identification**

## 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878

# TURCO ITALIANA SPA 1REMOKAL - REMO KAL

Printed on 09/05/2024
Printed on 09/05/2024
Page n. 2 / 11

Page n. 2 / 11 Replaced revision:3 (Dated 21/09/2022)

# SECTION 2. Hazards identification .../>>

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Skin corrosion, category 1B Serious eye damage, category 1 H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.

#### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Danger

Hazard statements:

H314 Causes severe skin burns and eye damage.

Precautionary statements:

P260 Do not breathe dust / fume / gas / mist / vapours / spray.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P280 Wear protective gloves/ protective clothing / eye protection / face protection.

P310 Immediately call a POISON CENTER / doctor

P264 Wash the skin thoroughly after use.

Contains: Phosphoric acid

Ingredients according to Regulation (EC) No. 648/2004

30% and more Phosphates

# 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

# **SECTION 3. Composition/information on ingredients**

# **TURCO ITALIANA SPA** 1REMOKAL - REMO KAL

Revision nr.4 Dated 09/05/2024 Printed on 09/05/2024 Page n. 3 / 11 Replaced revision:3 (Dated 21/09/2022)

# **SECTION 3. Composition/information on ingredients**

#### 3.2. Mixtures

Contains:

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

Phosphoric acid

015-011-00-6 Met. Corr. 1 H290, Acute Tox. 4 H302, Skin Corr. 1B H314, Eye Dam. 1 H318 INDEX 30 < x < 39FC

Skin Corr. 1B H314: ≥ 25%, Skin Irrit. 2 H315: ≥ 10%, Eye Dam. 1 H318: ≥ 231-633-2

25%. Eve Irrit. 2 H319: ≥ 10%

CAS 7664-38-2 LD50 Oral: 1518 mg/kg

REACH Reg. 01-2119485924-24-XXX

The full wording of hazard (H) phrases is given in section 16 of the sheet.

# SECTION 4. First aid measures

#### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

#### 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

# 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

# **SECTION 5. Firefighting measures**

# 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

# 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

# 5.3. Advice for firefighters

# **GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

# **SECTION 6. Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

# TURCO ITALIANA SPA 1REMOKAL - REMO KAL

Revision nr.4 Dated 09/05/2024 Printed on 09/05/2024 Page n. 4 / 11 Replaced revision:3 (Dated 21/09/2022)

### SECTION 6. Accidental release measures .../>>

#### 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

#### 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

# **SECTION 7. Handling and storage**

#### 7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

Storage class TRGS 510 (Germany): 10

#### 7.3. Specific end use(s)

See the exposure scenarios attached to this safety datasheet.

# **SECTION 8. Exposure controls/personal protection**

# 8.1. Control parameters

Regulatory references:

EU OEL EU Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU)

2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive

2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive

91/322/EEC.

TLV-ACGIH ACGIH 2023

				Phosp	horic acid				
Threshold Limit V	'alue								
Туре	Country	y TWA/8h		STEL/15min		Remarks / Observations			
		mg/m3	ppm	mg/m3	ppm				
OEL	EU	1		2					
TLV-ACGIH		1		2		SKIN			
Health - Derived n	o-effect leve	el - DNEL / [	OMEL						
	Effe	cts on consu	mers			Effects on workers			
Route of exposi	ure Acut	te Acu	ite	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	uic Acui	(C \ \				/ touto	,	Onnonio	Othorno
	loca		temic	local	systemic	local	systemic	local	systemic
Oral					systemic 0,1				
					,				
					0,1				
Oral				local	0,1 mg/kg bw/d	local			systemic

#### Legend

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low

hazard ; MED = medium hazard ; HIGH = high hazard.

## 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is

# TURCO ITALIANA SPA 1REMOKAL - REMO KAL

Revision nr.4 Dated 09/05/2024 Printed on 09/05/2024 Page n. 5 / 11 Replaced revision:3 (Dated 21/09/2022)

### SECTION 8. Exposure controls/personal protection .../>

well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

When choosing risk management measures and operating conditions, consult the exposure scenarios attached.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves.

The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

**EYE PROTECTION** 

Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

For information on controlling environmental exposure, see the exposure scenarios attached to this safety datasheet.

# **SECTION 9. Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

**Properties** Value opalescent liquid Appearance Colour yellow Odour not available Melting point / freezing point not available Initial boiling point not available Flammability not available Lower explosive limit not available Upper explosive limit not available Flash point 93 °C Auto-ignition temperature not available Decomposition temperature not available рΗ 8.0 Kinematic viscosity not available Solubility soluble in water Partition coefficient: n-octanol/water not available not available Vapour pressure Density and/or relative density 1,2 Relative vapour density not available Particle characteristics not applicable

# Information

#### 9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) < 0.01 % - 0,06 g/litre

EPY 11.6.1 - SDS 1004.14

# TURCO ITALIANA SPA 1REMOKAL - REMO KAL

Revision nr.4 Dated 09/05/2024 Printed on 09/05/2024 Page n. 6 / 11 Replaced revision:3 (Dated 21/09/2022)

# **SECTION 10. Stability and reactivity**

# 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

#### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

#### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

#### 10.5. Incompatible materials

Information not available

#### 10.6. Hazardous decomposition products

Information not available

# **SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: Not classified (no significant component)

ATE (Oral) of the mixture: >2000 mg/kg

ATE (Dermal) of the mixture: Not classified (no significant component)

Phosphoric acid

 LD50 (Dermal):
 2740 mg/kg Rabbit

 LD50 (Oral):
 1518 mg/kg Rat

# SKIN CORROSION / IRRITATION

Corrosive for the skin

Classification according to the experimental Ph value

SERIOUS EYE DAMAGE / IRRITATION

# TURCO ITALIANA SPA 1REMOKAL - REMO KAL

Revision nr.4 Dated 09/05/2024 Printed on 09/05/2024 Page n. 7 / 11 Replaced revision:3 (Dated 21/09/2022)

# SECTION 11. Toxicological information .../>>

Causes serious eye damage

#### RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

# GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

# CARCINOGENICITY

Does not meet the classification criteria for this hazard class

### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

#### STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

#### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

### ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

#### 11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

# **SECTION 12. Ecological information**

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

# 12.1. Toxicity

Phosphoric acid LC50 - for Fish EC50 - for Crustacea

EC50 - for Algae / Aquatic Plants

75,1 mg/l/96h > 100 mg/l/48h Daphnia magna 77,9 mg/l/72h Desmodesmus subspicatus

# 12.2. Persistence and degradability

Phosphoric acid

Degradability: information not available

# 12.3. Bioaccumulative potential

Information not available

# 12.4. Mobility in soil

Information not available

# 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

# 12.6. Endocrine disrupting properties

# TURCO ITALIANA SPA 1REMOKAL - REMO KAL

Revision nr.4 Dated 09/05/2024 Printed on 09/05/2024 Page n. 8 / 11 Replaced revision:3 (Dated 21/09/2022)

### SECTION 12. Ecological information .../>>

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

#### 12.7. Other adverse effects

Information not available

# **SECTION 13. Disposal considerations**

#### 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

# **SECTION 14. Transport information**

#### 14.1. UN number or ID number

ADR / RID, IMDG, IATA: UN 1805

#### 14.2. UN proper shipping name

ADR / RID: PHOSPHORIC ACID, SOLUTION IMDG: PHOSPHORIC ACID, SOLUTION IATA: PHOSPHORIC ACID, SOLUTION

#### 14.3. Transport hazard class(es)

ADR / RID: Class: 8 Label: 8

IMDG: Class: 8 Label: 8

IATA: Class: 8 Label: 8



# 14.4. Packing group

ADR / RID, IMDG, IATA: III

### 14.5. Environmental hazards

ADR / RID: NO IMDG: NO IATA: NO

### 14.6. Special precautions for user

ADR / RID: HIN - Kemler: 80 Limited Quantities: 5 L Tunnel restriction code: (E)

Special provision: IMDG: EMS: F-A, S-B

IATA: Cargo: Maximum quantity: 60 L Packaging instructions: 856
Passengers: Maximum quantity: 5 L Packaging instructions: 852

Limited Quantities: 5 L

Special provision: A3, A803

# 14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

@EPY 11.6.1 - SDS 1004.14

# TURCO ITALIANA SPA 1REMOKAL - REMO KAL

Revision nr.4 Dated 09/05/2024 Printed on 09/05/2024 Page n. 9 / 11 Replaced revision:3 (Dated 21/09/2022)

# **SECTION 15. Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU:

None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)

WGK 1: Low hazard to waters

# 15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

# **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Met. Corr. 1 Substance or mixture corrosive to metals, category 1

Acute Tox. 4
Skin Corr. 1B
Skin corrosion, category 1B
Eye Dam. 1
H290
May be corrosive to metals.
H302
Acute toxicity, category 4
Skin corrosion, category 1B
Serious eye damage, category 1
May be corrosive to metals.
Harmful if swallowed.

**H314** Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Use descriptor system:

LCS IS Use at industrial sites

LCS PW Widespread use by professional workers

PC 35 Washing and cleaning products

PROC 7 Industrial spraying

LEGEND:

# **TURCO ITALIANA SPA** 1REMOKAL - REMO KAL

Revision nr.4 Dated 09/05/2024 Printed on 09/05/2024 Page n. 10 / 11 Replaced revision:3 (Dated 21/09/2022)

### SECTION 16. Other information .../>>

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very persistent and very bioaccumulative
- vPvM: Very persistent and very mobile
- WGK: Water hazard classes (German).

#### GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- 23. Delegated Regulation (UE) 2023/707
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

# TURCO ITALIANA SPA 1REMOKAL - REMO KAL

Revision nr.4 Dated 09/05/2024 Printed on 09/05/2024 Page n. 11 / 11 Replaced revision:3 (Dated 21/09/2022)

# SECTION 16. Other information .../>>

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

#### CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review: The following sections were modified: 09 / 11 / 14 / Exposure Scenarios.