TURCO ITALIANA SPA 1RINSEACIDN - RINSE ACID

Revision nr.5 Dated 27/03/2023

Printed on 22/05/2023
Page n. 1 / 13
Replaced revision:4 (Dated 24/11/2021)

Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

1RINSEACIDN Code: Product name **RINSE ACID**

1G22-10VG-X00G-FDME

1.2. Relevant identified uses of the substance or mixture and uses advised against

GLASS WASHERS ACID RINSE AID Intended use

Identified Uses Industrial **Professional** Consumer RINSE AID FOR DISHWASHER PC: 35.

Uses Advised Against

CONSUMER USE

1.3. Details of the supplier of the safety data sheet

TURCO ITALIANA SPA Name Full address Via Artigianale, 29

District and Country 25010 Montirone (BS)

Italia

info@turco.it

+39 030 267443 Tel. +39 030 2677137

e-mail address of the competent person

responsible for the Safety Data Sheet

1.4. Emergency telephone number

UK: Call NHS 111 or a Doctor For urgent inquiries refer to

> IRELAND: Emergency medical information: 8am-10pm (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9 DOV2NO,

Ireland. Telephone Number: +353 (0)1 809 2166

ISLAND: 24 hours a day. Phone: +543 2222 or 112

A list of Poison Control Centers is available at the following link: http://www.who.int/gho/phe/chemical_safety/poisons_centres/en/

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Serious eye damage, category 1 H318 Causes serious eve damage.

TURCO ITALIANA SPA 1RINSEACIDN - RINSE ACID

Revision nr.5 Dated 27/03/2023 Printed on 22/05/2023 Page n. 2 / 13 Replaced revision:4 (Dated 24/11/2021)

SECTION 2. Hazards identification .../>>

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Danger

Hazard statements:

H318 Causes serious eye damage.

Precautionary statements:

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P280 Wear eye protection / face protection.
P310 Immediately call a POISON CENTER / doctor

Contains: 2-methyl-2H-isothiazol-3-one

Ingredients according to Regulation (EC) No. 648/2004

5% or over but less than 15% non-ionic surfactants

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq 0.1\%$.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification x = Conc. % Classification (EC) 1272/2008 (CLP)

Alcohols,C12-14, alcoxylated

INDEX 1 ≤ x < 5 Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 3 H412

EC

CAS 68439-51-0

Citric acid

INDEX $1 \le x < 5$ Eye Irrit. 2 H319, STOT SE 3 H335

EC 201-069-1 CAS 77-92-9

REACH Reg. 01-2119457026-42-XXXX sodium (xylenes and 4-ethylbenzene) sulfonate

INDEX $1 \le x < 5$ Eye Irrit. 2 H319

EC 701-037-1

CAS

REACH Reg. 01-2119513350-56-XXXX

1-methoxy-2-propanol

INDEX 603-064-00-3 $0 \le x < 0.05$ Flam. Liq. 3 H226, STOT SE 3 H336

EC 203-539-1

CAS 107-98-2

REACH Reg. 01-2119457435-35-XXXX

EPY 11.4.0 - SDS 1004.14

Revision nr.5 Dated 27/03/2023 Printed on 22/05/2023 Page n. 3 / 13 Replaced revision:4 (Dated 24/11/2021)

SECTION 3. Composition/information on ingredients .../>>

2-methyl-2H-isothiazol-3-one

FC.

INDEX 613-326-00-9 0 ≤ x < 0,0015 Acute Tox. 2 H330, Acute Tox. 3 H301, Acute Tox. 3 H311, Skin Corr. 1B

H314, Eye Dam. 1 H318, Skin Sens. 1A H317, Aquatic Acute 1 H400 M=10,

Aquatic Chronic 1 H410 M=1, EUH071

Skin Sens. 1A H317: ≥ 0,0015%, Eye Dam. 1 H318: ≥ 0%, Eye Irrit. 2 H319: ≥

0%

CAS 2682-20-4 LD50 Oral: >120 mg/kg, LD50 Dermal: >242 mg/kg, STA Inhalation

mists/powders: 0,051 mg/l

REACH Reg. 01-2120764690-50-XXXX

220-239-6

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

TURCO ITALIANA SPA 1RINSEACIDN - RINSE ACID

Revision nr.5 Dated 27/03/2023 Printed on 22/05/2023 Page n. 4 / 13 Replaced revision:4 (Dated 24/11/2021)

SECTION 6. Accidental release measures .../>>

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

10

Storage class TRGS 510 (Germany):

7.3. Specific end use(s)

See the exposure scenarios attached to this safety datasheet.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

DEU Deutschland Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und

Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung

gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56

EU OEL EU Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU)

2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2009/I61/EU; Directi

2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive

91/322/EEC.

Revision nr.5 Dated 27/03/2023 Printed on 22/05/2023 Page n. 5 / 13 Replaced revision:4 (Dated 24/11/2021)

SECTION 8. Exposure controls/personal protection .../>>

				1-methox	(y-2-propanol				
hreshold Limit Va	ue								
Туре	Country	TWA/8h		STEL/15	STEL/15min		bservations		
		mg/m3	ppm	mg/m3	ppm				
OEL	EU	375	100	563	150	SKIN			
redicted no-effect	concentrat	ion - PNEC	3						
Normal value in fi	esh water						10	mg/l	
Normal value in marine water							1	mg/l	
Normal value for fresh water sediment							52,3	mg/l	
Normal value for	r sediment					5,2	mg/kg		
Normal value for	Normal value for water, intermittent release						100	mg/l	
Normal value of S	_					100	mg/l		
	Normal value for the terrestrial compartment						5,49	mg/kg	
lealth - Derived no	effect leve	I - DNEL / I	DMEL						
	Effec	ts on consu	mers			Effects on workers			
Route of exposur	e Acute	e Acu	ıte	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	sys	temic	local	systemic	local	systemic	local	systemic
Oral					33				
					mg/kg/d				
Inhalation					43,9	553,5			369
					mg/m3 4h	mg/m3 4h			mg/m3 4h
Skin					18,1				50,6
					mg/kg/d				mg/kg/d

Citric acid										
Threshold Limit Value										
Type Country TWA/8h			STEL/15	min	Remarks / C	Remarks / Observations				
- 7 -	,	mg/m3	ppm	mg/m3	ppm	i tomanto / c	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
AGW	DEU	2	- ' '	4	- ' '	INHAL				
Predicted no-effect concentration - PNEC										
Normal value in fresh water							0,44	mg/l		
Normal value in marine water							0,044	mg/l		
Normal value for fresh water sediment							34,6	mg/kg		
Normal value for marine water sediment							3,46	mg/kg		
Normal value of STP microorganisms							1000	mg/l		
Normal value for the terrestrial compartment							33,1	mg/kg		

sodium (xylenes and 4-ethylbenzene) sulfonate										
Predicted no-effect cond	centration	- PNEC								
Normal value in fresh	water					0,23	mg/l			
Normal value for water			2,3	mg/l						
Normal value of STP n	isms		100	mg/l						
Health - Derived no-effect level - DNEL / DMEL										
	Effects of	n consumers		Effects on v	Effects on workers					
Route of exposure	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic		
	local	systemic	local	systemic	local	systemic	local	systemic		
Oral				3,8						
				mg/kg/d						
Inhalation				13,2				53,6		
				mg/m3 4h				mg/m3 4h		
Skin				3,8				7,6		
				mg/kg/d				mg/kg/d		

Legend

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low

hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

When choosing risk management measures and operating conditions, consult the exposure scenarios attached.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Revision nr.5 Dated 27/03/2023 Printed on 22/05/2023 Page n. 6 / 13 Replaced revision:4 (Dated 24/11/2021)

SECTION 8. Exposure controls/personal protection .../

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

For information on controlling environmental exposure, see the exposure scenarios attached to this safety datasheet.

Value

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance clear liquid Colour violet Odour Melting point / freezing point not available Initial boiling point not available Flammability Not relevant based on physical state Lower explosive limit not available not available Upper explosive limit 100.000°C Flash point Auto-ignition temperature not available Decomposition temperature not available рΗ 2,4 Kinematic viscosity not available Solubility not available Partition coefficient: n-octanol/water not available Vapour pressure not available Density and/or relative density 1.05 Relative vapour density not available Particle characteristics not applicable

Information

9.2. Other information

Properties

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU)

Explosive properties

Not explosive based on the composition

Oxidising properties

Not oxidizing on the basis of the composition

EPY 11.4.0 - SDS 1004.14

TURCO ITALIANA SPA 1RINSEACIDN - RINSE ACID

Revision nr.5 Dated 27/03/2023 Printed on 22/05/2023 Page n. 7 / 13 Replaced revision:4 (Dated 24/11/2021)

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

Alcohols, C12-14, alcoxylated

Avoid exposure to: naked flames, overheated surfaces, electrostatic discharges.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

ATE (Oral) of the mixture:

Not classified (no significant component)

Not classified (no significant component)

ATE (Dermal) of the mixture:

Not classified (no significant component)

1-methoxy-2-propanol

LD50 (Dermal): > 2000 mg/kg Rat LD50 (Oral): 4016 mg/kg Rat LC50 (Inhalation vapours): > 25,5 mg/l/4h Rat

TURCO ITALIANA SPA 1RINSEACIDN - RINSE ACID

Revision nr.5 Dated 27/03/2023 Printed on 22/05/2023 Page n. 8 / 13 Replaced revision:4 (Dated 24/11/2021)

SECTION 11. Toxicological information .../>>

2-methyl-2H-isothiazol-3-one

 LD50 (Dermal):
 > 242 mg/kg

 LD50 (Oral):
 > 120 mg/kg

 LC50 (Inhalation vapours):
 0,34 mg/m3

Citric acid

LD50 (Dermal): > 2000 mg/kg Rat LD50 (Oral): 5400 mg/kg Rat

Alcohols, C12-14, alcoxylated

LD50 (Dermal): > 2000 mg/kg Rat LD50 (Oral): > 2000 mg/kg Rat

sodium (xylenes and 4-ethylbenzene) sulfonate

 LD50 (Dermal):
 > 2000 mg/kg Rabbit

 LD50 (Oral):
 > 7200 mg/kg Rat

 LC50 (Inhalation vapours):
 > 6,41 mg/l/4h Rat

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

Revision nr.5 Dated 27/03/2023 Printed on 22/05/2023 Page n. 9 / 13 Replaced revision:4 (Dated 24/11/2021)

SECTION 12. Ecological information .../>>

1-methoxy-2-propanol

LC50 - for Fish > 1000 mg/l/96h Oncorhynchus mykiss EC50 - for Crustacea > 21100 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic Plants > 1000 mg/l/72h Selenastrum capricornutum

2-methyl-2H-isothiazol-3-one

 LC50 - for Fish
 4,77 mg/l/96h

 EC50 - for Crustacea
 0,93 mg/l/48h

 EC50 - for Algae / Aquatic Plants
 0,072 mg/l/72h

 Chronic NOEC for Fish
 4,93 mg/l

 Chronic NOEC for Crustacea
 0,044 mg/l

Citric acid

LC50 - for Fish 440 mg/l/96h Leuciscus idus melanotus EC50 - for Crustacea 1535 mg/l/48h Daphnia magna

Alcohols, C12-14, alcoxylated

LC50 - for Fish 1,41 mg/l/96h Danio rerio

EC50 - for Crustacea 0,88 mg/l/48h Daphnia magna, OECD TG 202

EC50 - for Algae / Aquatic Plants 0,312 mg/l/72h Raphidocelis subcapitata, OECD TG 201

EC10 for Algae / Aquatic Plants 0,153 mg/l/72h Desmodesmus subspicatus

sodium (xylenes and 4-ethylbenzene) sulfonate

LC50 - for Fish 1000 mg/l/96h Oncorhynchus mykiss EC50 - for Crustacea 1000 mg/l/48h Daphnia magna

12.2. Persistence and degradability

1-methoxy-2-propanol Rapidly degradable

2-methyl-2H-isothiazol-3-one Rapidly degradable

Citric acid

Rapidly degradable 97%, OCSE 301B, 28d

Alcohols,C12-14, alcoxylated

Rapidly degradable 92.4%, OECD TG 301 B, 28d

sodium (xylenes and 4-ethylbenzene) sulfonate

Rapidly degradable 100%, 28d, OECD 301B

12.3. Bioaccumulative potential

sodium (xylenes and 4-ethylbenzene) sulfonate

BCF < 2,3

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0.1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

TURCO ITALIANA SPA 1RINSEACIDN - RINSE ACID

Revision nr.5 Dated 27/03/2023 Printed on 22/05/2023 Page n. 10 / 13 Replaced revision:4 (Dated 24/11/2021)

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product Point

3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

TURCO ITALIANA SPA 1RINSEACIDN - RINSE ACID

Revision nr.5 Dated 27/03/2023 Printed on 22/05/2023
Page n. 11 / 13
Replaced revision:4 (Dated 24/11/2021)

SECTION 15. Regulatory information

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)

WGK 1: Low hazard to waters

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Lig. 3 Flammable liquid, category 3 Acute Tox. 2 Acute toxicity, category 2 Acute Tox. 3 Acute toxicity, category 3 Skin Corr. 1B Skin corrosion, category 1B Serious eve damage, category 1 Eve Dam. 1 Eve Irrit. 2 Eye irritation, category 2

STOT SE 3 Specific target organ toxicity - single exposure, category 3

Skin Sens. 1A Skin sensitization, category 1A

Aguatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1 **Aquatic Chronic 1** Hazardous to the aquatic environment, chronic toxicity, category 1 **Aquatic Chronic 3** Hazardous to the aquatic environment, chronic toxicity, category 3

H226 Flammable liquid and vapour.

H330 Fatal if inhaled. H301 Toxic if swallowed H311 Toxic in contact with skin

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H317 May cause an allergic skin reaction. H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

Use descriptor system:

PC Washing and cleaning products

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate

Revision nr.5 Dated 27/03/2023 Printed on 22/05/2023 Page n. 12 / 13

Page n. 12 / 13 Replaced revision:4 (Dated 24/11/2021)

SECTION 16. Other information .../>>

- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current

TURCO ITALIANA SPA 1RINSEACIDN - RINSE ACID

Revision nr.5 Dated 27/03/2023 Printed on 22/05/2023 Page n. 13 / 13 Replaced revision:4 (Dated 24/11/2021)

SECTION 16. Other information .../>>

health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

01 / 02 / 03 / 07 / 08 / 09 / 10 / 11 / 12 / 13 / 14 / 15 / 16 / Exposure Scenarios.